# **Installation Instructions** Logs and Wattles

### Step 1 - Site Preparation

Prepare site to design profile and grade. Remove debris, rocks, clods, etc.. Ground surface should be smooth prior to installation to ensure log remains in contact with slope.

## Step 2 - Staple Selection

At a minimum, 1 in. by 1 in. by 24 in., stakes are to be used to secure the log to the ground surface. Installation in rocky, sandy or other loose soil may require longer stakes.

## Slope Installation

Place RECP along slope to provide upstream apron for log. Secure RECP according to standard slope installation instructions including upstream anchor trench. Secure log to blanket, ensuring log remains in intimate contact with the RECP over the length of the installation. A minimum of one foot upstream apron and two foot downstream apron are required for installation. Subsequent, downslope rows of logs should be spaced appropriately for site conditions to minimize acceleration of flow. Further, log seams are to be offset to ensure continuous filtration. Figure A presents a schematic of a slope installation in profile view.

### Channel Installation

Place RECP along channel to provide upstream and downstream apron for log identically to slope installation. Secure log to blanket, ensuring log remains in intimate contact with the RECP over the length of the installation. A minimum of one foot upstream apron and two foot downstream apron are required for installation. Subsequent, downslope rows of logs should be spaced appropriately for site conditions to minimize acceleration of flow. Further, log seams are to be offset to ensure continuous filtration. Figure A / Figure C presents a schematic of a channel installation.

#### **Drain Filter Installation**

Surround drain inlet to be protected with log, ensuring seams are overlapping to minimize flow circumventing log. Secure logs to ground surface ensuring the log remains in intimate contact with the ground surface over the entire installation. Provide RECP apron secured to the ground surface between drain and log.





Figure A - Profile View



Minimum stake in ground, 12 in.

Do not allow flow to overtop installation.

**Figure C - Cross-Section View** 





Figure D - Cross-Section View



Installed

Trench 3in. Deep and

Backfill

Minimum

Stake Depth

**Figure E - Cross-Section View** 



Project: Standard Slope/Rainfall Layout - RECP

Shown: Isometric View of Slope, Fastener Placement, Some Fasteners and Vegetation Omitted for Clarity, Trenching and Overlap, NTS

Date: 4/4/2023 WG: 886-540-9810 www.westerngreen.com www.westernexcelsior.com www.nagreen.com