

#### MANUFACTURER:

DATE PREPARED:

Western Excelsior Corporation P.O. Box 659 90 1 Grand Avenue Mancos, CO 81328 (970-533-7412) 06/01/2011

## **MATERIAL SAFETY DATA SHEET**

PRODUCT NAME:

EXCEL S-1

WOOD FIBER EXCELSIOR, SINGLE NET TEMPORARY EROSION CONTROL BLANKET

CHEMICAL FAMILY: CAS. NO. 8003-70-0 POLYETHYLENE & ORGANIC

OSHA HAZARD: NO

**DESCRIPTION:** 

MACHINE PRODUCED MAT OF CURLED ASPEN WOOD EXCELSIOR WITH EXTRUDED POLYPROPYLENE NET ON TOP OF MAT, NET SEALED TO EXCELSIOR FIBER WITH CONTINUOUS LINES OF POLYETHYLENE THREAD

# CAUTION: MOLTEN MATERIAL WILL PRODUCE THERMAL BURNS

## PHYSICAL DATA

| APPEARANCE & ODOR:   | WOOD EXCELSIOR FIBER, EXTRUDED PLASTIC<br>MESH & POLYPROPYLENE AND/OR<br>POLYETHELYNE THREAD. MILD ODOR |
|----------------------|---|
| SOLUBILITY IN WATER: | NEGLIGILBE  |
| MELTING POINT:       | 285 – 300 DEGREES F   |
| SPECIFIC GRAVITY:    | VARIABLE (DEPENDANT ON MOISTURE   |

Document # WE\_EXCEL\_S1\_MSDS Property of Western Excelsior Page 1 of 3

CONTENT)

% VOLATILE BY VOLUME: N/A

PH:

5

FIRE AND EXPLOSION DATA

FLASH POINT:

> 600 DEGREES F

AUTOIGNITION > 400 - 500 DEGREES F TEMPERATURE :

EXPLOSIVE LIMITS IN AIR: N/A

EXTINGUISHING MEDIA: WATER SPRAY, DRY CHEMICAL

SPECIAL FIRE FIGHTINGSPRAY WITH WATER. WEAR SCBA ANDPROCEDURES:PROTECTIVE CLOTHING TO PREVENTCONTACT WITH SKIN

UNUSUAL FIRE & EXPLOSION HAZARDS: STRONG TO SEVERE (if blanket comes in contact with ignition source)

## **REACTIVITY DATA**

STABILITY:

STABLE

INCOMPATIBILITY: AVOID CONTACT WITH OXIDIZING AGENTS, DRYING OILS, FLAME, TEMPERATLTRES OVER 400 DEGREES F

POLYMERIZATION:

HAZARDOUS DECOMPOSITION PRODUCTS: WILL NOT OCCUR

COMBUSTION WILL PRODUCE CARBON DIOXIDE, CARBON MONOXIDE, ALDEHYDES, & INORGANIC ACIDS.

## HEALTH HAZARDS

NO SPECIFIC HAZARD

EXPOSURE LIMITS:

N/A

EYE CONTACT:

SKIN CONTACT:

MOLTEN MATERIAL WILL PRODUCE THERMAL BURNS

Document # WE\_EXCEL\_S1\_MSDS Property of Western Excelsior Page 2 of 3 INGESTION:

LOW HAZARD

INHALATION: MAY CAUSE NASAL DRYNESS, IRRITATION AND OBSTRUCTION

#### **EMERGENCY FIRST AID PROCEDURES**

INGESTION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION, IF DIFFICULTY IN BREATHING OCCURS

EYE CONTACT: N/A

EYE CONTACT: WASH WITH WATER, IF IRRITATION DEVELOPS GET MEDICAL ATTENTION

SKIN CONTACT: IF BURNED BY CONTACT WITH MOLTEN MATERIAL, COOL QUICKLY AND GET MEDICAL ATTENTION

NOTE TO PHYSICIAN: BURNS SHOULD BE TREATED AS THERMAL BURNS. PLASTIC WILL COME OFF AS HEALING OCCURS.

#### SPILL AND LEAK PROCEDURES

REMOVAL AND DISPOSAL

CLEAN UP AND INCINERATE OR BURY ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS

#### SPECIAL PRECAUTIONS

### IN ACCORDANCE WITH GOOD INDUSTRIAL PRACTICES, HANDLE WITH CARE, AVOID CONTACT WITH OXIDIZING MATERIALS AND PROVIDE VENTILATION.

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. There is no warranty of any kind, express or implied, concerning the accuracy or completeness of the information and data herein.